CORNER RECORD

Jan San San San San San San San San San S	COUNTY OF Marin 7.	MERIDIAN	CALIFOR
() .	CORNER TYPE: GOYT. CORNER MEANDER RANCHO CONTROL OTHER		•
•	CORNER IDENTIFICATION — DATE OF VISIT		
		•	•
•		•	•
	CORNER — LEFT AS FOUND POUND AND TAGGED REESTABLISHED OBLITERATED CORNER	REBUILT	
•	CORNER — LEFT AS FOUND POUND AND TAGGED REESTABLISHED OBLITERATED CORNER (A) PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISM		
	Philippe afternation of Compa London States William and in process of process of the party of th		
	Found standard street monuments as shown on Recorded Map (10 RM 35	5)	
	33	•.	-
	AP#70-341-30		
·:.	PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED		
	PRINCIPLE DESCRIPTION OF MORTOMERIA REDUICI OR PERFERONZO	•	-
	Set 3/4" iron pipe and tag RCE 15945	· •	
•		-	×
•	CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND THIRD THIRD STATIONS USED; NGS (USC & GS) STATE COUNTY OTHER XX STATION	STATION	·
	ZONE ELEVATION NORTHINGS (Y) EASTIN	G\$ (X)	
	SKETCH: (Include reference tie or witness points, remarks and topo of area)		
SET 4 IBON FIPE FTAG RCE 15945	EUSE CONTROL NOW		
No. 15945	SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S COUNTY SURVEYORS CORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY OFFICIAL OF THE CORNER RECORD WAS BEED TO THE CORNER RECORD	YOR'S CYMPINEATS	
* Exp. 6/30/89	Ine. Dept.	SONO?	DE.
CIVIL OF CALIFO	SIGNED: W. COWALD NICE DOCUMENT No DOCUMENT No		3486

		CORNER	RECORD		·	
COUNTY OFMarin	7	R			MERIDIAN	CALIFORN
CORNER TYPE: GOVT. CORNER CORNER IDENTIFICATION - DATE O	MEANDER C	RANCHO ctober	CONTROL	OTHER [X]		•
		•		•		•
					:	٠.
CORNER - LEFT AS FOUND	FOUND AND TAGE	to 🗀 REES	TABLISHED OBLITERA	TEO CORNER [7]	REBUILT [

Found standard street monuments as shown on Recorder Map (10 RM 35)

PHYSICAL DESCRIPTION OF CORNER POUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTANISM

AP # 70-341-30

PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED

Set 3/4" iron pipe and tag RCE 15945

	STATIONS USED: NGS (USC & GS)	STATE COUNTY	OTHER XX STATION	EASTINGS (X)
SET 34	SKETCH: (Include reference tie or wil	ness points, remarks and topo a	of area)	
iron pipi etag	E all of the second			
3CE 159	453/2			
	500	49 % \$ 1650 3/8°	15 / S	S. Can
		10 co (\$ 50.27 - 32 - 52 - 52 - 52 - 52 - 52 - 52 - 52	1652	
	EUSEO FOUN	STAD CITY MONE		
	A service of the serv	1644 1643		4
	9/2 1645	·1<		

PARTO	
Eoung Still	SURVEYOR'S CERTIFICATE
on A	CORNER RECORD WAS PREPARED BY ME OR UNDER MY
No. 15945 0 4	TION IN CONFORMANCE WITH THE LAND SURVEYORS ACT
Exp. 6/30/89 94	October 1087
CIVIL	· SIGNED: W. Solm 1 Nute
OF CALIFORS	R.C.E. No.: 15945

COUNTHE CORNER RECORD		AD FEBRUARY	EASE!	• 2 27
AND EXAMINED AND	7 6	REL		
BY:	Depo	Comil	る: 男	

DOCUMENT No.

23188

100 x		
	COUNTY OF Marin T. R. MERICIAN	CAUIO
	CORNER TYPE: GOYT. CORNER MEANDER RANCHO CONTROL OTHER	
•	CORNER IDENTIFICATION - DATE OF VISIT October 19.87	
•		. •
•		٠.
	CORNEZ — LEFT AS FOUND FOUND AND TAGGED REESTABLISHED OBLITERATED CORNER [] REBUILT	
	PHYSICAL DESCRIPTION OF CORNER POUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH	
	PHISCAL DESCRIPTION OF CORNER FOUNDS EVIDENCE MAD METHOD USED TO SECURITY ON METHOD	• • •
	Found standard street monuments as shown on Recorded Map (10 RM 35)	•
	* \ .	•
•		
	AP#70-341-30	
	PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	
:	· · ·	
		•
	Set lead plug and tag RCE 15945 on S/W	
•		····
•	CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND THIRD	
•	STATIONS USED: NGS (USC & GS) STATE COUNTY OTHER [X] STATION STATIO	
	ZONE ELEVATION NORTHINGS (Y) EASTINGS (X)	
U .		<u>.</u>
	SKETCH: (include reference tie or witness points, remarks and topo of area)	
•		
		•
		€
•		
•	1649 % \$ 1650 3/3	
SETLEAD	INDIAN STATE OF THE APPLICATION OF THE STATE	
		D
	1 50 8 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. To the
Pun: TAG	1 50 8 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Plup & Tag RCE 15945	165,	
Pun: TAG	1 50 8 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Plup & Tag RCE 15945	165,	
Plup & Tag RCE 15945	165,	
Plup : Tag RCE 15945	165,	
Plup : Tag RCE 15945	165,	
Plup & Tag RCE 15945	165,	
Plup & Tag RCE 15945	165,	
Plup & Tag RCE 15945	165,	
Plup & Tag RCE 15945	165,	-4
Plup & Tag RCE 15945	EUSEC FORMUS 1652	- 4
PLIP TAG RCE 15945 ON SIW PROFESSION EDWARD	SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S CERTIFICATE THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY	· · · · · · · · · · · · · · · · · · ·
PLIP TAG RCE 15945 ON SIW PROFESSION EDWARD	SURVEYOR'S CERTIFICATE SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S CERTIFICATE THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY AND EXAMINED AND SURVEYOR'S ACT	± , <u>\$</u>)
PLIP TAG RCE 15945 ON SIW PROFESSION EdWard No. 1594	SURVEYOR'S CERTIFICATE THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY OFFICIAN IN CONFORMANCE WITH THE LAND SURVEYORS ACT 19 10 10 10 10 10 10 10 10 10 10 10 10 10	**************************************
PLIP TAG RCE 15945 ON SIW PROFESSION ENN 1594 Exp. 6/39	SURVEYOR'S CERTIFICATE SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S CERTIFICATE THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY AND EXAMINED AND SURVEYOR'S ACT	3)
PLIP TAG RCE 15945 ON SIW PROFESSION EdWard No. 1594	SURVEYOR'S CERTIFICATE THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY OFFICIAN IN CONFORMANCE WITH THE LAND SURVEYORS ACT 19 10 10 10 10 10 10 10 10 10 10 10 10 10	3) 3) 3) 3) 3) 3) 3) 3) 3) 3) 3) 3) 3) 3

;	CORNER RECORD	
	COUNTY OF Marin T. R MERIDIAN	CAUPORH
· ·	CORNER TYPE GOVT. CORNER MEANDER DEANCHO CONTROL OTHER A	•
•	CORNER IDENTIFICATION — DATE OF VISIT	
		•
• •		
	CORNER - LEFT AS FOUND TO POUND AND TAGGED REESTABLISHED OBLITERATED CORNER TO REBUILT	
	PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISM	•
	Found standard street monumnets as shown on Recorded Map (10 RM 35)	,
	AP#70-341-30	
•		
:	PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	
	Set 3/4" iron pipe and tag RCE 15945	
		•
•	CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND SECOND SHIRD	· · · · · · · · · · · · · · · · · · ·
•		ATION
	ZONE ELEVATION NORTHINGS (Y) EASTINGS (X)	-
•:	SKETCH: (Include reference tie or witness points, remarks and topo of area)	
		•
SET3/4"		
IRON PIF	PE IN CONTRACT TO THE STATE OF	
e tag		
RCE 1594	45 1	•
•		
	(65)	
	Sie Proposition of the state of	
	1652	
	I - STELLSE STREAM NOWS	
	The state of the s	
	5 20 10 10 10 10 10 10 10 10 10 10 10 10 10	
	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	2 3/0 1044 5/0	
	10-40 CI.	•
-NEERS!		
MIBWA	SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S CERTIFICATE	ÇĄTS
12/2.EU	THE CORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS RECEIVED	
No. 1594	BIREGION IN CONFORMANCE WITH THE LAND SURVEYORS ACT . AND EXAMINED AND PHED	-1002/
[발 No. 1594	45 Interpret	· Z V

CORNER RECORD COUNTY OF OTHER 🔀 RANCHO [CORNER TYPE: GOYT. CORNER MEANDER [October T CORNER IDENTIFICATION - DATE OF VISIT . REBUILT | CORNER - LEFT AS FOUND POUND AND TAGGED REESTABLISHED OBLITERATED CORNER TY PHYSICAL DESCRIPTION OF CORNER POUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH Found standard street monuments as shown on Recorded Map (10 RM 35) AP # 70-341-30 PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED Set railroad spike on "Root" SECOND [THIRD [] CALIFORNIA COORDINATE SYSTEM ORDER: FIRST [COUNTY OTHER TO STATION STATIONS USED: NGS (USC & GS) STATE NORTHINGS (Y) EASTINGS (X) _ ELEVATION _ SKETCH: (include reference tie or witness points, remarks and topo of area) SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S ORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS RECEIVED ON IN CONFORMANCE WITH THE LAND SURVEYORS ACT AND EXAMINED AND FIL

DOCUMENT No.

STATEMENT ON BACK OF SHEEK

·	CORNER RECORD
F - \	COUNTY OF Marin T MERIDIAN CAUFO
	CORNER TYPE: GOYT. CORNER
**************************************	CORNER IDENTIFICATION - DATE OF VISIT October 1987_
•	
	CONNES - LEFT AS FOUND - FOUND AND TAGGED - REESTABLISHED CORNER - REBUILT -
	PHYSICAL DESCRIPTION OF CORNER POUND, EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH
	Found standard street monuments as shown on Recorded Map (10 RM 35)
•	
	AD#70 211 20
•	AP # 70-341-30
• .	PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED
•	
	Set 3/4" iron pipe and tag RCE 15945
	oct 3/4 Tron bake and cas in a trong
•	CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND THIRD
· · ·	STATIONS USED: NGS (USC & GS) STATE COUNTY OTHER STATION STATI
	ZORE ELEFATION FOXINIFOS (1)
•	SKETCH: (Include reference tie or witness points, remarks and topo of area)
_	
3,4	
SET4	The second secon
TAG PICE	
.	
THE RE	
THE TRE	
15945	
	1651 3/2 CONTRACTOR OF STREET
	20,000
3	No Real State of the Control of the
<u> </u>	1652
	ENIND STIND COTT TO A SOLO
· //	THE STATE OF THE S
	13.20 10 10 10 10 10 10 10 10 10 10 10 10 10
· •	
मा।	1 4 1/0 1/0 1/0 1/0 1/0 1/0 1/0 1/0 1/0 1/0
	9/2 1645 CIR
ROFESSIO	
MBINA	SURVEYOR'S CERTIFICATE COUNTY SURVEYOR'S SERTIFICATE
Red Euro	CORNER RECORD WAS PREPARED BY ME OR UNDER MY THE CORNER RECORD WAS RECEIVED.
No. 15945	DISPETION IN CONFORMANCE WITH THE LAND SURVEYORS ACT AND EXAMINED AND THEO THE TOTAL
No. 15945	heof October 1087
* Exp. 6/30/	17/*
CIVIL	SIGNED: DOCUMENT No. 1 3-31 9
OF CALL	or R.C.E. No.:
	STATEMENT ON BACK OF SHEET