			•	CORI	NER I	RECORD		***	:		
	T	1	N	Ř.	6	W	Mt.	Diabl	OMERIDIA	И	CALIFORNIA
NER	MEA F VISIT	NDER	40ct	RANCH	19	CONTROL [] OT	HER 🎦			
S.E.	cor	ner	of	the	flag	portio	n of	Lot	38,Park	c Hill	I,
11 M	aps	61,	at	inte	rsec	tion of	wes	terly	proper	rty	
line	of	Eri	ca F	≀oad.	ΑP	# 200-	-161-	26.	•		

PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH

No evidence of original corner was found. I used the county

monuments found in Erica Road to re-establish the corner.

See sketch below.

Marin

CORNER IDENTIFICATION - DATE OF VISIT -

December 29

- SIGNED, Milo Gene W

L.S. or R.C.E. No.:

CORNER TYPE: GOVT. CORNER

PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED Pavement nail with 14" metal shiner set in asphalt pa No. 5527 Exp. 9-30-86 SECOND CALIFORNIA COORDINATE SYSTEM ORDER: FIRST [THIRD OTHER [STATE ____ STATION . STATIONS USED: NGS (USC & GS) COUNTY | EASTINGS (X) NORTHINGS (Y) ELEVATION . SKETCH: (Include reference tie or witness points, remarks and topo of area) O = Found County Mon. · = Parm't nail = Property Corner set 42 Rand. Pt. - set P.N. Pt. A"- Fnd. PK nait Scale : 1" = 100' COUNTY SURVEYOR'S CERTIFICATE SURVEYOR'S CERTIFICATE THE CORNER RECORD WAS RECEIVED THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY AND EXAMINED AND FILED DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT

DOCUMENT No.

STATEMENT ON BACK OF SHEET

CORNER RECORD

CAUSEN 1	, each
COUNTY OF Marin T. 1 N R. 6 W	
CORNER TYPE: GOVT. CORNER . MEANDER . RANCHO . TOOL . 4, 19	CONTROL OTHER (A)
	g portion of Lot 38, Park Hill I,
	•
	ction of westerly property
line of Erica Road. AP	' # 200-161-26
CORNER — LEFT AS FOUND TOUND AND TAGGED REESTA	ABLISHED OBLITERATED CORNER THE REBUILT
PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED	TO IDENTIFY OR REESTABLISH
No evidence of original corner was	found. I used the county
monuments found in Erica Road to re	e-establish the corner.
See the sketch below.	
	IANG
	CONF W.SC.
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	A STATE OF THE SELLEN
1" iron pipe with L.S. tag #5527.	No. 5527
	1121
	Exp. 9-30-88
SECOND 1	THIRD T
CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND STATIONS USED: NGS (USC & GS) STATE COUNTY	OTHER STATION STATION
ZONE ELEVATION NORTHINGS (Y)	EASTINGS (X)
Rand. Ft set P.N.	42 Land 41 40 41 A0 33.
Pt."A"- Fnd. PK nait	Scale: 1"=100"
THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT ON December 29, 19 87	THE CORNER RECORD WAS RECEIVED TO RECORD WAS
THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT ON December 29, 19 87	THE CORNER RECORD WAS RECEIVED THE PROPERTY OF
SURVEYOR'S CERTIFICATE THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT	THE CORNER RECORD WAS RECEIVED THE RECORD WAS RECEIVED TO RECORD WAS RECEIVED WAS RECEIVED TO RECORD WAS RECEIVED TO RECORD WAS RECEIVED

				_	
 	1==	-		~	-
 100			,		~
 	IER			_	~~

	Marin.	т. 1 N	R 6 W	J <u>N</u> +	Diablo_ MERIDIAN	CALIFORN
COUNTY OF _		MEANDER [RANCHO [CONTROL [OTHER [X]	
	TIFICATION - DAT	E OF VISIT	Oct. 4, 19			· ·
	In	tersection	of the eas	sterly side	e of Lot 38 and	the
-	no	rtherly si	de of the 2	20 common	access easement	, all
	in	Park Hill			200-161-26	
		FOUND AND TA		BLISHED OBLITERATED		<u> </u>
		· ·	E AND METHOD USED		and the second s	
	. *	. —		4	ised the county	
			Road to re	establis	n the corner.	
See t	he sketch	below.	•			•
•		tywa a Arg			ED LAND S	
PHYSICAL DES	CRIPTION OF MON	IUMENTS, REBUILT OR	PERPETUATED		STORE THE STATE OF	
1" ir	on pipe w	ith L.S. t	ag #5527.		O No. 5527	
				-		
					Exp. 9-30-88	//
				:	The San	/
					OF CALIFORN	
	COORDINATE SYSTE	_	_		ATION STATE	ION
	ED: NGS (USC & C		COUNTY	Oluer 🗀 🤼	EASTINGS (X)	
ZONE	ELEVATION		11081111100 (1)			
		1.				
Parm't n		COM/ 7/ 05/4,	A Consider of	8	43	LANE
Pavmt no Property Rand	ail Corner set	20/20		1	43	LANE
Pavm't n Property Rand	ail Corner set	26/20		1	43	LANE OF THE PARTY
Pavm't n Property Rand	ail Corner set	26/20	39		42	LANE
Pavmt no Property Rand	ail Corner set	26/20	39 80AD		41	LANE
Pavm't no Property Rand	Corner set	26/20 Pt.	39		41 42 Scal	e: 1"= 100'
Pavm't no Property Rand THIS CORN	Corner set L.Ptset P.N ERICA SURVEYOR SURVEYOR SER RECORD WAS	PT. PS CERTIFICATE PREPARED BY ME OF	A"- Fnd. PK nait	40	COUNTY SURVEYOR'S CERTIFIE	LANE
Pavmt no Property Rand THIS CORN DIRECTION	SURVEYOR SURVEYOR IN CONFORMANCE	PT. PS CERTIFICATE PREPARED BY ME OF WITH THE LAND SUI	39 "A"- Fnd. PK nait- R UNDER MY RVEYORS ACT	40	41 42 Scal	TENE !
Paym't no Property Rand THIS CORN DIRECTION ON	SURVEYOR SURVEYOR SURVEYOR IN CONFORMANCE Decembe	PT. PS CERTIFICATE PREPARED BY ME OF WITH THE LAND SUIT 29 19 87	39 A"- Fnd. PK nait R UNDER MY RVEYORS ACT	THE CORNER I	COUNTY SURVEYOR'S CERTIFIE	LANE
Property Rand THIS CORN DIRECTION ON	SURVEYOR SURVEYOR SURVEYOR IN CONFORMANCE Decembe	PT. PS CERTIFICATE PREPARED BY ME OF WITH THE LAND SUIT 29 19 87	39 A"- Fnd. PK nait R UNDER MY RVEYORS ACT	THE CORNER I	COUNTY SURVEYOR'S CERTIFIC ECORD WAS RECEIVED TO AND FILED BY: TITLE: Dep Cos 200	LANE
THIS CORN DIRECTION ON	SURVEYOR SURVEYOR SURVEYOR IN CONFORMANCE Decembe	PT. PS CERTIFICATE PREPARED BY ME OF WITH THE LAND SUI	39 A"- Fnd. PK nait R UNDER MY RVEYORS ACT	THE CORNER I	COUNTY SURVEYOR'S CERTIFIC ECORD WAS RECEIVED TO AND FILED BY: TITLE: Dep Cos 200	30212 S

CORNER RECORD

COUNTY OF Marin T. 1 N R. 6 W	Mt. Diablo MERIDIAN	CALIFORNIA
CORNER TYPE: GOVT. CORNER MEANDER OC TRANCHO	SONTROL OTHER (X)	
CORNER IDENTIFICATION - DATE OF VISIT	<u> </u>	
Intersection of the wes	terly side of Lot 38, Park	
20' common access easem	the northerly side of the	
	· · · · · · · · · · · · · · · · · · ·	
	LISHED OBLITERATED CORNER A REBUILT	
PHYSICAL DESCRIPTION OF CORNER FOUND, EVIDENCE AND METHOD USED	TO IDENTIFY OR REESTABLISH	
No evidence of original corner was	found. I used the county	,
monuments found in Erica Road to re	-establish the corner.	
See the sketch below.		
	IANG	
	ENE WAS	
PHYSICAL DESCRIPTION OF MONUMENTS REBUILT OR PERPETUATED	GE GENE WALKER	
1" iron pipe with L.S. tag #5527.		1 4
	No. 5527	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	THIRD THIRD	
CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND		
STATIONS USED: NGS (USC & GS) STATE COUNTY COUNTY COUNTY NORTHINGS (Y)	OTHER STATION STATION EASTINGS (X)	
= Found County Mon. = Pavm't nail = Property Corner set		Ž
Rand. Pt set P.N.	41	
	40	
ERICK E. POAD	13.//	•
	per-	<i></i>
Pt. A"- Fnd. PK rait	Scale: 1	"= 100"
	COUNTY SURVEYOR'S CENTILEARE	-100
SURVEYOR'S CERTIFICATE THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY	THE CORNER RECORD WAS RECEIVED	04 88
DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT	AND EXAMINED AND FILED 3	\$ 6 V
on December 29, 1,87	BY DO LONG TO THE	2:21
SIGNED. Willow Gene Walker	11TLE: 12 C 6 30212	<u>'§:</u> "∤
signed: Milo Gene Walker L.S. or R.C.E. No.: L.S. 5527	DOCUMENT No.	71×/
	STATEMENT ON BACK OF SHEET OF STATEMENT ON BACK OF SHEET OF STATEMENT	· Mile
SEAL	5 3 3 88 MARIENT	O.NO.

<u> </u>	<u> </u>		DRNER RECO		· · · · · · · · · · · · · · · · · · ·	·
	Marin	<u>r. 1 N</u>	<u>к. 6 W</u>		<u>iablo MERIDIA</u>	N CA
CORNER TYPE: C	SOV'T. CORNER [MEANDER RA	NCHO CONTI	sor □ о тні	ir 🔼	
	7	corner of Lo		E Hill T	11 Mane 6	7
	1	200–161–26	Jo Jo, Tarr		II haps o	.
	AL #	200-101-20	;		•	
CORNER — LEFT	AS FOUND [7]	FOUND AND TAGGED	7 REESTABLISHED	OBLITERATED COR	NER 📉 REBUILT	<u> </u>
18		OUND; EVIDENCE AND		.,	 	<u></u>
The second secon		iginal corne		the state of the s		nty
monumer	nts found i	n Erica Road	d to re-est	ablish t	he corner.	
	etch below.	•				
				•	CLANDS	
ene ville range					SENE WALL	3
		TS. REBUILT OR PERPETUA			14.	
Tron	i brbe mrcu	L.S. tag #5	002(- III	No. 5527	0
				1/2	Exp. <u>9-30-88</u>	
•		•	•			
					E OF CALLEUR	
CALIFORNIA COC	ORDINATE SYSTEM ORD	DER: FIRST	SECOND [THIRD 🗀	312 magnaga	
SKETCH: (Inclu	de reference tie or w	vitness points, remarks	and topo of area)			
= Found Co	unty Mon.	ranna i Taran i Araba	X		\	
= Found Co = Pavmt nail	unty Mon.	W. CSS of WITTITE COSTING	and topo of area)		3	THE LAUEUC
= Found Co = Pavmt nail	unty Mon.	05'11, access or commity easing.	and toppe of area)	4	\	51
= Found Co = Pavmt nail	unty Mon.	05'11, access or commity easing.	and toppe of area)	4	\	ALEUCA
= Found Co = Pavmt nail	unty Mon.	05'11, access or commity easing.	and toppe of area)	4	\	51
= Found Co = Pavmt nail	unty Mon.	Common access or united to the many	and topo of area)	4	3	ALEUCA
= Found Co = Pavmt nail = Property Co	unty Mon. rner set	05'11, access or commity easing.	and toppe of area)	4	3	ALEUCA
= Found Co = Pavmt nail = Property Co Rand.F	unty Mon. rner set 7set P.N.	Common access or united to the many	and topo of area)	4	3	ALEUCZ
= Found Co = Pavmt nail = Property Co Rand.F	unty Mon. rner set 7set P.N.	Common access or united to the many	38	4	42	ALEUCA
= Found Co = Pavmt nail = Property Co Rand.F	unty Mon. rner set	Common access or united to the many	38	4	42	ALEUCA
= Found Co = Pavmt nail = Property Co Rand.F	unty Mon. rner set 7set P.N.	Common access or united to the many	and topo of area)	4	42	ALEUCA
= Found Co = Pavmt nail = Property Co Rand.F	unty Mon. rner set 7set P.N.	S. Common access of with the casemen.	38 Server Ensint	4	42	ALEUCA
= Found Co = Pavmt nail = Property Co Rand.F	unty Mon. rner set 7set P.N.	S. Common access of with the casemen.	38 Server Ensint	4	42	LALEUCA LANE
= Found Co = Pavmt nail = Property Co Rand. F	unty Mon. rner set 7set P.N.	H. A. L. Confliction of the state of the sta	38 Server Ensirer 39 ROAD ROAD	40	41 42 A1	Scale: I"=1
= Found Co. = Pavmit nail = Property Co Rand. F	unty Mon. rner set Yset P.N. ICA 8. SURVEYOR'S CER RECORD WAS PREPAR	PT. A"- F.	38 Server Energy 39 ROAD AY THE	40 cou	A1 A2 A2 MIT SURVEYOR'S CEI D WAS RECEIVED	Scale: I"= I
Found Co. = Pavmt nail = Property Co Rand. F. THIS CORNER DIRECTION IN	unty Mon. rner set Surveyor's CER RECORD WAS PREPAR CONFORMANCE WITH December 2	PT. A"-F	38 Server Energy 39 ROAD AY THE	40 COUNTE CORNER RECORNED AND EXAMINED AND	A1 A2 A2 MITY SURVEYOR'S CEI D WAS RECEIVED 3 D FILED 3 FILE	Scale: 1"=10
Found Co. = Pavmt nail = Property Co Rand. F. THIS CORNER DIRECTION IN	unty Mon. rner set Surveyor's CER RECORD WAS PREPAR CONFORMANCE WITH	PT. A"-F	38 Server Energy 39 ROAD AY THE	40 COUNTE CORNER RECORNED AND EXAMINED AND	A1 A1 A2 MIT SURVEYOR'S CEI O WAS RECEIVED 32 O FILED 32 11 7	Scale: 1"=10